

CURVE A MANDRINARE 90°- 45°

EXPANDING ELBOWS 90°- 45°

GAMA CODOS MANDRINAR 90°- 45°

COUDES ALIMENTAIRES AVEC PARTIES DROITES 90°- 45°

WALZBOGEN 90°- 45°

Отводы нержавеющей под вальцовку 90°- 45°

Ø Diametro	Raggio	Lunghezza codulo 90°	Altezza Curva 90°	Altezza Curva 45°	Spessore	Spessore	Spessore	Lotti minimi Packing
Ø Diam.	Radius	Length Straightend 90°	Height Elbows 90°	Height Elbows 45°	Wall Thickness	Wall Thickness	Wall Thickness	
mm	mm	mm	mm	mm	1,5 mm	1,6 mm	2,0 mm	
12,0	26,0	12	38	45	•			10
18,0	35,0	12	47	60	•			20
22,0	40,0	12	52	65	•			18
25,4	38,0	27	65	77	•	•		15
28,0	50,0	20	70	73	•			14
34,0	55,0	23	78	83	•			12
38,1	57,0	28	85	85,5	•	•		10
40,0	60,0	25	85	89	•			10
50,8	75,0	34	109	109	•	•		8
52,0	70,0	27	97	103	•			8
60,3	76,2	40	116	111,5	•	•		6
63,5	84,0	40	124	111,5	•	•		6
70,0	80,0	30	110	108			•	6
76,1	96,0	41	137	120			•	5
85,0	93,0	33	126	123			•	5
101,6	110,0	40	150	137			•	4
101,6	152,5	40	192,5	only 90°			•	4
104,0	110,0	40	150	137			•	4

A richiesta: spianatura per saldatura orbitale.
Cod. Mand S90

On request: flattening for
orbital welding
Cod. Mand S90

A petición: refrentado de caras para facilitar la soldadura.
Cod. Mand S90

Sur demande: polissage pour soudure orbitale.
Cod. Mand S90

Nach Wunsch: Enden für orbital schweissung
bearbeitet.
Cod. Mand S90

зачистка заусенцев для
орбитальной сварки
Cod. Mand S90


**CURVE A MANDRINARE 90°**

EXPANDING ELBOWS 90°

GAMA CODOS MANDRINAR 90°

COUDES ALIMENTAIRES AVEC
PARTIES DROITES 90°

WALZBOGEN 90°

Отводы нержавеющей
под вальцовку 90°

Le curve sono prodotte in acciaio inox 1.4307/304L, 1.4404/316L,
1.4571/316Ti e 1.4541/321.

Altri tipi di acciai e dimensioni su richiesta.

Elbows are produced in grade 1.4307/304L, 1.4404/316L, 1.4571/316Ti and
1.4541/321.

Other grades of stainless steel and dimensions only on request.